	r
11	1
V	u

	Application No.	Applicant(s)		
•	10/573,545	SCHILLERT ET AL.		
Notice of Allowability	Examiner	Art Unit		
	Davetta W. Goins	2612		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to				
2. The allowed claim(s) is/are 12-23.				
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 				
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.				
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.				
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.				
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached				
1) hereto or 2) to Paper No./Mail Date				
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date				
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).				
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Attachment(s)	_			
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	·		
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Dat			
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 3/27/06	7. Examiner's Amenda			
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Stateme	ent of Reasons for Allowance		

Art Unit: 2612

DETAILED ACTION

Allowable Subject Matter

1. Claims 12-23 are allowed.

2. The following is an examiner's statement of reasons for allowance. None of the prior art of record disclose in their entirety or in combination the claimed device for monitoring a leakage current of a surge arrester comprising a filter arrangement for filtering out a third harmonic from the leakage current, the third harmonic being a measure of an operating state of the surge arrester; an evaluation circuit for the third harmonic connected to the filter arrangement; a display apparatus connected to the evaluation circuit for outputting, if appropriate, at least one warning signal; and a transformer connected in the arrester circuit, the transformer having an output carrying an energy for a voltage supply to the filter arrangement and the evaluation circuit.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. The prior art of record and not relied upon is considered pertinent to the applicant's disclosure as follows. Colombo et al. (US Pat. 6,879,479 B2) and Gudmundsson et al. (US Pat. 7,005,863 B2), which include systems that monitor surge arresters.

Art Unit: 2612

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Davetta W. Goins whose telephone number is 571-272-2957.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Daniel Wu can be reached on 571-272-2964. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

The examiner can normally be reached on Mon-Fri with every other Fri. off.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

DAVETTA W. GOINS PRIMARY EXAMINER

DWG

September 20, 2007

Davetta W. Goins Primary Examiner Art Unit 2612